

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/829,151	04	/09/2001	Alan Young	47185-95330	8242
7590 03/31/2005				EXAMINER	
Arter & Hadden LLP				NGUYEN, TAN D	
One Columbus					
Suite 2100				ART UNIT	PAPER NUMBER
10 West Broad Street				3629	
Columbus, OH 43215-3422				DATE MAILED: 03/31/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action Before the Filing of an Appeal Brief

		• /
Application No.	Applicant(s)	
09/829,151	YOUNG, ALAN	
Examiner	Art Unit	
Tan Dean D. Nguyen	3629	

·\$

reporting back to the user or displaying to the user on an Interface with answers or solutions. Applying the same principles to a similar business issues/data would have been obvious to a skilled artisan, absent evidence of unexpected results. No unexpected results have been shown. Moreover, for an Apparatus claim, only structural elements/features carry patentable weight. Apparatus claims cover what a device is, not what a device does. See Hewlett-Packard Co. v. Bausch & Lomb, Inc., 909 F.2d 1464, 1469, 15 USPQ2d 1525, 1528. Manner or operating the device does not differentiate apparatus claim from the prior art. Also, the intended use of the apparatus carry no patentable weight. See MPEP 2114. Note also that the workflow manager, as shown in claim 9, has no elemental structures except for the intended functions "receiving ... outputting"...

12. ☐ Note the attached Information Disclosure Statement(s). (PTO/SB/08 or PTO-1449) Paper No(s).

Continuation Sheet (PTOL-303)

Application No.
Tan Dean D. Nguyen
Primary Examiner
Art Unit: 3629

U.S. Patent and Trademark Office PTOL-303 (Rev. 9-04)

Advisory Action Before the Filing of an Appeal Brief

Part of Paper No. 20050323